



Hand protection

VE702GR

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for dry conditions, washable and more comfortable for extended wear.



Specific benefits



Hygiene

- Reduces perspiration thanks to its excellent breathability



Performance

- The anti-slip properties of the polyurethane coating provides good grip.
- Lightweight for optimal dexterity

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Water and waste treatment

Certifications and norms



EN 388
3 1 2 1 X

Protects against risks



Wearing



Hand protection

VE702GR

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for dry conditions, washable and more comfortable for extended wear.

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE

1 [0-5] CUT RESISTANCE

2 [0-4] TEAR RESISTANCE

1 [0-4] PIERCE RESISTANCE

X [A-F] CUT RESISTANCE ISO 13997

Technical details

| | |
|-----------------------|------------------------------|
| Glove kind | Mechanical glove |
| Glove family | Knitted coated glove |
| Mechanical glove kind | Knitted |
| Weft yarn | Polyamid |
| Coating level | Palm coated |
| Coating material | PU |
| Coating finition | Smooth |
| Number of layer | Single layer |
| Gauge | 13 |
| Benefits element | Reach, Washable, Vendor pack |
| Color | Grey |
| Size | 6, 7, 8, 9, 10 |
| Type of packaging | in individual bags |

Product care

- Machine dry at low temperature








Safety gloves

VE702GR


WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for dry conditions, washable and more comfortable for extended wear.

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|--------|------|-------------|-------|----------|---|---|--------|---|---|---|
|-----------|--------|------|-------------|-------|----------|---|---|--------|---|---|---|

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height